

TRACKED EXCAVATOR | JS385LC HD



ENGINE POWER
212kW (284hp)

BUCKET CAPACITY
1.4 - 2.3m³

OPERATING WEIGHT
37,331 - 38,027kg

RELIABLE COMPONENTS

A heavy-duty undercarriage, boom and dipper arms, plus industry-best components deliver long life and low cost of ownership.




HEAVY DUTY

Boom, arm and undercarriage and revolving frame are all uprated to heavy duty specification for increased strength while working in quarrying and mining applications.



LEADING PERFORMANCE

With the JS385LC HD, performance comes as standard. A large bucket capacity, excellent stability, high digging forces and Power Boost are all included.



POWER & EFFICIENCY

7.2 Litre DIESELMAX engine delivers 284hp and high torque, while intelligent design provides excellent fuel efficiency.

STAY IN CONTROL

LiveLink provides easy, remote monitoring of your machine or fleet, keeping you informed about servicing, performance and security.



FINGERTIP CONTROL

A Smart Control system with colour display lets you configure the machine to your application.

Power mode		Usage for
H+	High Power Plus	Provides maximum output Suitable for high output in heavy duty strata.
H	High Power	For high output requirements.
G1, G2, G3	Economy	For general duty and digging operations.
L1, L2, L3	Lifting	For heavy lifting operation.

LOW ON MAINTENANCE

Long service intervals keep you working longer with reduced costs. JCB's oil filter systems keep hydraulic oil clean and extend its life, along with the hydraulic filter.



	SERVICE INTERVALS
Engine oil, oil filters and fuel filters	Every 500 hours
Hydraulic main filter	Every 1,000 hours
Hydraulic oil	Every 5,000 hours



EASY SERVICING
Grouped filters and large, easy to clean radiators provide quick servicing and daily maintenance.

FULLY EQUIPPED

Large capacity buckets for high output, plus hydraulic breaker pipework fitted as standard, put you in control of your working environment.



STAY COMFORTABLE

Deluxe, adjustable operator seat and air conditioning with heater fitted as standard, provide maximum comfort.



TRACKED EXCAVATOR | JS385LC HD




SPECIFICATION

MODEL		JS385LC HD
Engine		JCB DIESELMAX 672 TCAE Electronic
Power	kW (hp)	212 (284)
Operating weight	kg	37,331 - 38,027
Hydraulic pumps	l/min	2 x 304
Travel speed	kph	2.2 / 3.2 / 5.3
Swing speed	rpm	8.9
Max. digging reach	mm	10,580
Max. dipper tearout	kN	254.9
Max. bucket tearout	kN	262.7



FITTED AS STANDARD

DAILY CHECKS		7 of 7
COOLANT LEVEL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
WASHER BOTTLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
BRAKE RESERVOIR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
FUEL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
DEF	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
BODYWORK & GLAZING	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TYRE/TRACK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



STANDARD FEATURES

- Reinforced steel structures
 - Cooling Pack Flymesh
 - Smart Control system with 3.5” colour display
 - JCB DIESELMAX 7.2 Litre 6-cylinder CRDI Engine
- Large capacity bucket
 - Mesh cab front, top guard and light guards
 - Heavy duty travel motor covers and undercarriage belly guards
 - Powerful swing torque of 129kNm



JCB JS385LC HD TRACKED EXCAVATOR

[FIND OUT MORE](#)



[REQUEST A QUOTE](#)



www.jcb.com